








Ordering Datasheet for M-Serie

Mastergear GmbH

Order-No.: _____ Cust.Ref.: _____ Order-Qty: _____ Unit-price, net: _____

Unit Frame Size	Input Details	Output flange	Output bore details	Ancillary equipment		
M07/DB <input type="checkbox"/> M10 <input type="checkbox"/> M12 <input type="checkbox"/> M14 <input type="checkbox"/> M15 <input type="checkbox"/> M16 <input type="checkbox"/> M20 <input type="checkbox"/> M30 <input type="checkbox"/> M40 <input type="checkbox"/> M50 <input type="checkbox"/> M55 <input type="checkbox"/> M60 <input type="checkbox"/> M70 <input type="checkbox"/> Gearbox Machined for bush: M10/DB_ <input type="checkbox"/> M12/DB_ <input type="checkbox"/> M14/DB_ <input type="checkbox"/> M15/DB_ <input type="checkbox"/> M16/DB_ <input type="checkbox"/> M20/DB_ <input type="checkbox"/> M30/DB_ <input type="checkbox"/> M40/DB_ <input type="checkbox"/> M50/DB_ <input type="checkbox"/> Drive bushes DB1 <input type="checkbox"/> DB4 <input type="checkbox"/> DB7 <input type="checkbox"/> DB15 <input type="checkbox"/> DB16 <input type="checkbox"/> DB20 <input type="checkbox"/> DB30 <input type="checkbox"/> DB40 <input type="checkbox"/> DB50 <input type="checkbox"/>	RH input <input type="checkbox"/> Input shaft details for handwheel with pin hole <input type="checkbox"/> for handwheel with key way <input type="checkbox"/> with extended input shaft <input type="checkbox"/> Input closing direction: clockwise input to close <input type="checkbox"/> Anti-clockwise input to close <input type="checkbox"/> Output closing direction: clockwise <input type="checkbox"/> Cast iron position indicator: <input type="checkbox"/> Painting: Red oxide primer <input type="checkbox"/> Synthetical colour <input type="checkbox"/> Other paint <input type="checkbox"/> Pls. specify colour	ISO 5211 F <input type="checkbox"/> Recess acc. to Spec <input type="checkbox"/> Spigot acc. to Spec. <input type="checkbox"/> Special Flange: No. of holes Size/Thread: B.C.D. Holes on centre <input type="checkbox"/> Holes off centre <input type="checkbox"/> Special Specification: SL039 <input type="checkbox"/> SL020 <input type="checkbox"/> SL021 <input type="checkbox"/> SL040 <input type="checkbox"/> SL048 <input type="checkbox"/> SL050 <input type="checkbox"/> SL072 <input type="checkbox"/> SL120 <input type="checkbox"/>	Round Bore: Diameter: mm Tolerance H8 <input type="checkbox"/> Valve shaft lengths mm Special dimensions see enclosed drawing No Keyway acc. to: DIN 6885 <input type="checkbox"/> other <input type="checkbox"/> Pos. of keyway acc. sketch below: A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/>  Quadrant shown in open position!	Square Bore SQ-Size: mm Valve shaft lengths mm Square position: COC <input type="checkbox"/>  //AC <input type="checkbox"/>  Quadrant shown in open position!	Flatted bore: DD mm Valve shaft diameter V: mm Valve shaft lengths mm Position of flatted bore : //AC <input type="checkbox"/>  Other, pls. attach drawing:  Denomination of the coordinates (in open position, clockwise closing)	Handwheel: SR5 <input type="checkbox"/> SR8 <input type="checkbox"/> SR10 <input type="checkbox"/> SR12 <input type="checkbox"/> R6 <input type="checkbox"/> R8 <input type="checkbox"/> R10 <input type="checkbox"/> R12 <input type="checkbox"/> R14 <input type="checkbox"/> R18 <input type="checkbox"/> R24 <input type="checkbox"/> R30 <input type="checkbox"/> R36 <input type="checkbox"/> <input type="checkbox"/> Input-Padlocking-Flange <input type="checkbox"/> Limit switch assemb- ling plate for OPEN <input type="checkbox"/> for CLOSED <input type="checkbox"/> with Box <input type="checkbox"/> Pls. attach switch details, drawing and type of box.